



**Manufactured in France**

**2 temperature cabinet**

**Large size**

**Premium Pack**

Two-temperature cabinet, for serving wine

## Technical Specifications

Equipment  
**Standard shelf** ▼



Sliding shelf  
ACMS  
12 bottles

Equipment  
**Optional shelves** ▼



Storage shelf  
AXUH  
77 bottles



Presentation kit  
AOPRESAR  
32 bottles



Sliding shelf  
ACMS2B  
12 bottles



Storage shelf  
AXUH2B  
77 bottles



Sliding shelf  
ACMS2W  
12 bottles



Storage shelf  
AXUH2W  
77 bottles



Champagne shelf  
ACHH  
10 bottles



Storage shelf  
AXBH  
76 bottles



Sliding rack for tasting  
ACVH  
20 bottles



Presentation shelf  
ACPH  
22 bottles

**Capacity** 170 bottles maximum\*

**Temperature**

- Default setup temperature: 8°C/46°F et 18°C/64°F
- Temperature setting range from 5°C/41°F to 11°C/ 52°F for the white wine compartment and 15°C/59°F to 20°C/68°F for the red wine compartment.

**Design**

- 2 independent compartments (40% white wines & champagne, 60% red wines)
- 4 door options: Black glass, Full Glass, Black Piano, Black glass with handle\*\*
- Removable glass finish handle (Full Glass and Black Piano doors only)
- Central lock
- Carbon effect control panel
- Amber screen display
- LED screen with touch-sensitive keys
- Amber interior lighting: 2 Leds (3 lighting options: permanent, on door opening or off)

**Accessories**

- 13 ACMS sliding shelves in wood finish
- 1 EuroCave keyring

**Equipment**

- 2 adjustable feet at the front
- Condensate drip tray at the back
- 1 divider shelf

**Regulation**

- Electronic regulation
- Display of the real temperature inside the cellar
- Temperature display for white and red wine compartments
- Visual alarms in case of dysfunction (open door, sensor fault, temperature alarm, charcoal filter, humidity level alarm)
- Automatic defrost

**Technologies**

- Cold production:** Mixed air / Compressor R600a gas
- Cords:** CE/US/UK/JAAU/CH/C6
- Heat production:** Resistance
- Heat release:** Automatic
- Inner material:** Aluminium
- Exterior coating material:** HPL panel (High pressure laminates)
- Insulation type:** Injected polyurethane foam (59mm)

\*Traditional Bordeaux format

\*\*Door with handle, not reversible

## General features

	Full Glass/ Glass	Black Piano
Empty wine cabinet net weight (kg)	100	93
Net weight cellar equipped (kg)	137	130
Gross weight packaged (kg)*	153	146
Dimensions H x W x D (mm)	1825 x 680 x 720***	1825 x 680 x 720***
Dimensions packaged (mm)	1950 x 720 x 760	1950 x 720 x 760
Colour	Nero	Nero

\*\*\* With separator at the back, without handle

## Energy efficiency & Consumption

Cords	230V-50Hz (R600a)		115V-60Hz (R600a)	
	Black Piano	Full Glass/Glass	Black Piano	Full Glass /Glass
Type of door				
Energy efficiency class	G	G	/	/
Annual energy consumption AEC (Kwh/year)	150	176	172	212
Sound emission (dB(A))	37	37	38	38
Sound emission Class	C	C	/	/
Ambient operating temperature (°C/°F)	10-35/50-95	10-30/50-86	10-35/50-95	10-30/50-86
Useful volume (litres)				446

Pure, in a few words..

## Store your wine in optimal conditions.

Specially designed to be multifunctional, Pure offers the ultimate protection for your wine. Maturing, cooling and bringing your wine to room temperature are all possible. Solid or glass doors, a wide choice of interior equipment, configure the cabinet that best that best suits your space.





Manufactured in France

2 temperature cabinet

Large size

Presentation Pack

Two-temperature cabinet, for serving wine

## Technical Specifications

### Equipment Standard shelves



Sliding shelf  
ACMS  
12 bottles



Presentation kit  
AOPRESAR  
32 bottles

### Equipment Optional shelves



Storage shelf  
AXUH  
77 bottles



Presentation shelf  
ACPH  
22 bottles



Sliding shelf  
ACMS2B  
12 bottles



Storage shelf  
AXUH2B  
77 bottles



Sliding shelf  
ACMS2W  
12 bottles



Storage shelf  
AXUH2W  
77 bottles



Sliding rack for tasting  
ACVH  
20 bottles



Champagne shelf  
ACHH  
10 bottles



Storage shelf  
AXBH  
76 bottles

**Capacity** 150 bottles maximum\*

**Temperature** · Default setup temperature: 8°C/46°F et 18°C/64°F  
· Temperature setting range from 5°C/41°F to 11°C/ 52°F for the white wine compartment and 15°C/59°F to 20°C/68°F for the red wine compartment.

**Design**

- 2 independent compartments (40% white wines & champagne, 60% red wines)
- 4 door options: Black glass, Full Glass, Black Piano, Black glass with handle\*\*
- Removable glass finish handle (Full Glass and Black Piano doors only)
- Central lock
- Carbon effect control panel
- Amber screen display
- LED screen with touch-sensitive keys
- Amber interior lighting: 2 Leds (3 lighting options: permanent, on door opening or off)

**Accessories**

- 2 AOPRESAR presentation kit
- 8 ACMS sliding shelves in wood finish
- 1 EuroCave keyring

**Equipment**

- 2 adjustable feet at the front
- Condensate drip tray at the back
- 1 divider shelf

**Regulation**

- Electronic regulation
- Display of the real temperature inside the cellar
- Temperature display for white and red wine compartments
- Visual alarms in case of dysfunction (open door, sensor fault, temperature alarm, charcoal filter, humidity level alarm)
- Automatic defrost

**Technologies**

- Cold production:** Mixed air / Compressor R600a gas
- Cords:** CE/US/UK/JA/AU/CH/C6
- Heat production:** Resistance
- Heat release:** Automatic
- Inner material:** Aluminium
- Exterior coating material:** HPL panel (High pressure laminates)
- Insulation type:** Injected polyurethane foam (59mm)

\*Traditional Bordeaux format

\*\*Door with handle, not reversible

## General features

	Full Glass/ Glass	Black Piano
Empty wine cabinet net weight (kg)	100	93
Net weight cellar equipped (kg)	161	154
Gross weight packaged (kg)*	177	170
Dimensions H x W x D (mm)	1825 x 680 x 720***	1825 x 680 x 720***
Dimensions packaged (mm)	1950 x 720 x 760	1950 x 720 x 760
Colour	Nero	Nero

\*\*\* With separator at the back, without handle

## Energy efficiency & Consumption

Cords	230V-50Hz (R600a)		115V-60Hz (R600a)	
	Black Piano	Full Glass/Glass	Black Piano	Full Glass/Glass
Type of door				
Energy efficiency class	G	G	/	/
Annual energy consumption AEC (Kwh/year)	150	176	172	212
Sound emission (dB(A))	37	37	38	38
Sound emission Class	C	C	/	/
Ambient operating temperature (°C/°F)	10-35/50-95	10-30/50-86	10-35/50-95	10-30/50-86
Useful volume (litres)				446

Pure, in a few words..

## Store your wine in optimal conditions.

Specially designed to be multifunctional, Pure offers the ultimate protection for your wine. Maturing, cooling and bringing your wine to room temperature are all possible. Solid or glass doors, a wide choice of interior equipment, configure the cabinet that best suits your space.

