



**Manufactured in France**   **Multi-temperature cabinet**   **Large size**   **Access Pack**

Multi-temperature cabinet, for serving and tasting wine

## Technical Specifications

Equipment  
**Standard shelf**   

**Multifunctional shelf  
AEPHU1**



Sliding  
12 bottles




Storage  
72 bottles



Sliding presentation  
9 bottles



Fixed presentation  
24 bottles

Equipment  
**Optional shelves  
(Mounted in the cabinet)**   



Sliding shelf  
ACMS  
12 bottles



Storage shelf  
AXUH  
77 bottles

**Capacity**   230 bottles maximum\*

**Temperature**   · Default setup temperature: 8°C/46°F-18°C/64°F  
· Temperature setting range from 5°C/41°F à 20°C /68°F (5°C/41°F-10°C/50°F for the low zone, 15°C/59°F-20°C/68°F for the high zone)

**Design**

- 2 door options: glass with black frame or solid with black frame
- With or without handle\*\*
- Stainless steel tube handle
- Central lock
- Black control panel
- White interior lighting: 2 leds (ON/OFF)
- LED screen with touch-sensitive keys
- White screen display

**Accessories**

- 11 multifunctional beechwood shelves
- 1 EuroCave keyring
- Optional: set of 20 black aluminium plates + 1 erasable felt-tip marker Ref : ID20-STYLO

**Equipment**

- Charcoal filter
- 2 adjustable feet at the front
- Condensate drip tray at the back

**Regulation**

- Electronic regulation
- Display of the real temperature inside the cabinet
- Hygrometry display
- Visual alarms in case of dysfunction (open door, sensor fault, temperature alarm, charcoal filter, humidity level alarm)
- Automatic defrost

**Technologies**

- Cold production:** Mixed air / Compressor R600a gas
- Cords:** CE/US/UK/JA/AU/CH/C6
- Heat production:** Resistance
- Heat release:** Automatic / Threshold: adjustable
- Inner material:** Aluminium
- Exterior coating material:** HPL panel (High pressure laminates)
- Insulation type:** Injected polyurethane foam (59mm)

\*Traditional Bordeaux format

\*\*Door with handle, not reversible

## General features

	Glass door	Solid door
Empty wine cabinet net weight (kg)	94	79
Equipped cabinet net weight (kg)	105	90
Gross weight packaged (kg)*	121	105
Dimensions H x W x D (mm)	1825 x 680 x 720***	1825 x 680 x 720***
Dimensions packaged (mm)	1950 x 720 x 760	1950 x 720 x 760
Colour	Nero - RAL 9005	Nero - RAL 9005

\*\*\*Incl. the separator at the back/ 690 mm without separator. The dimensions do not include the handle.

## Energy efficiency & Consumption

Cords	230V-50Hz (R600a)		115V-60Hz (R600a)	
	Solid	Glass	Solid	Glass
Type of door				
Energy efficiency class	F	G	/	/
Annual energy consumption AEC (Kwh/year)	132	176	172	212
Sound emission (dB(A))	37	37	38	38
Sound emission Class	12-30/54-86 C	12-30/54-86 C	12-30/54-86 /	12-30/54-86 /
Useful volume (litres)		461		

La Premiere, in a few words...

## The fundamental by EuroCave.

The Première wine cabinet is designed for multiple uses. Concealed beneath its bold lines lies all the brand's expertise. Take your first steps into the world of EuroCave.





**Manufactured in France**   **Multi-temperature cabinet**   **Large size**   **Premium Pack**

Multi-temperature cabinet, for serving and tasting wine

## Technical Specifications

Equipment  
**Standard shelf**   

**Multifunctional shelf  
AEPHU1**



Sliding  
12 bottles




Storage  
72 bottles



Sliding presentation  
9 bottles



Fixed presentation  
24 bottles

Equipment  
**Optional shelves  
(Mounted in the cabinet)**   



Sliding shelf  
ACMS  
12 bottles



Storage shelf  
AXUH  
77 bottles

**Capacity**   146 bottles maximum\*

**Temperature**   · Default setup temperature: 8°C/46°F-18°C/64°F  
· Temperature setting range from 5°C/41°F à 20°C /68°F (5°C/41°F-10°C/50°F for the low zone, 15°C/59°F-20°C/68°F for the high zone)

**Design**   · 2 door options: glass with black frame or solid with black frame  
· Black control panel  
· With or without handle\*\*  
· White interior lighting: 2 leds (ON/OFF)  
· Stainless steel tube handle  
· LED screen with touch-sensitive keys  
· Central lock  
· White screen display

**Accessories**   · 11 multifunctional beechwood shelves  
· Optional: set of 20 black aluminium plates + 1 erasable felt-tip marker Ref : ID20-STYLO  
· 1 EuroCave keyring

**Equipment**   · Charcoal filter  
· 2 adjustable feet at the front  
· Condensate drip tray at the back

**Regulation**   · Electronic regulation  
· Visual alarms in case of dysfunction (open door, sensor fault, temperature alarm, charcoal filter, humidity level alarm)  
· Display of the real temperature inside the cabinet  
· Hygrometry display  
· Automatic defrost

**Technologies**   **Cold production:**   Mixed air / Compressor R600a gas  
**Cords:**   CE/US/UK/JA/AU/CH/C6  
**Heat production:**   Resistance  
**Heat release:**   Automatic / Threshold: adjustable  
**Inner material:**   Aluminium  
**Exterior coating material:**   HPL panel (High pressure laminates)  
**Insulation type:**   Injected polyurethane foam (59mm)

\*Traditional Bordeaux format

\*\*Door with handle, not reversible

## General features

	Glass door	Solid door
Empty wine cabinet net weight (kg)	94	79
Equipped cabinet net weight (kg)	123	108
Gross weight packaged (kg)*	139	124
Dimensions H x W x D (mm)	1825 x 680 x 720***	1825 x 680 x 720***
Dimensions packaged (mm)	1950 x 720 x 760	1950 x 720 x 760
Colour	Nero - RAL 9005	Nero - RAL 9005

\*\*\*Incl. the separator at the back/ 690 mm without separator. The dimensions do not include the handle.

## Energy efficiency & Consumption

Cords	230V-50Hz (R600a)		115V-60Hz (R600a)	
	Solid	Glass	Solid	Glass
Type of door				
Energy efficiency class	F	G	/	/
Annual energy consumption AEC (Kwh/year)	132	176	172	212
Sound emission (dB(A))	37	37	38	38
Sound emission Class	12-30/54-86 C	12-30/54-86 C	12-30/54-86 /	12-30/54-86 /
Ambient operating temperature (°C/°F)				
Useful volume (litres)		461		

La Premiere, in a few words...

## The fundamental by EuroCave.

The Première wine cabinet is designed for multiple uses. Concealed beneath its bold lines lies all the brand's expertise. Take your first steps into the world of EuroCave.

