



Manufactured in France

Multi-temperature cabinet

Small size

Access Pack



Multi-temperatures cabinet, for serving wine

Technical Specifications

Equipment Standard shelf



Sliding shelf
ACMS
12 bottles



Storage shelf
AXUH
77 bottles

Equipment Optional shelves



Sliding shelf
ACMS2B
12 bottles



Storage shelf
AXUH2B
77 bottles



Sliding shelf
ACMS2W
12 bottles



Storage shelf
AXUH2W
77 bottles



Sliding shelf for tasting
ACVH
20 bottles



Presentation kit
AOPRESAR
32 bottles



Presentation shelf
ACPH
22 bottles



Storage shelf
AXBH
76 bottles



Champagne shelf
ACHH
10 bottles

Capacity 92 bottles maximum*

Temperature

- Default temperature settings, 8°C/46°F (for the bottom of the cabinet) and 18°C/64°F (for the top of the cabinet)
- Adjustment range from 5°C/ 41°F to 22°C/72°F (5°C/41°F to 12°C/54°F for the bottom and 15°C/59°F to 22°C/72°F for the top)

Design

- 3 door options: Black glass, Full Glass, Black Piano
- Removable glass finish handle (Full Glass and Black Piano doors only)
- Central lock
- Carbon effect control panel
- Amber screen display
- LED screen with touch-sensitive keys
- Amber interior lighting: 2 Leds (3 lighting options: permanent, on door opening or off)
- Optional ambient light guide, on the control panel

Accessories

- 1 sliding shelves and 1 storage shelves
- 1 EuroCave keyring

Equipment

- Charcoal filter (with counter)
- 2 adjustable feet at the front
- Condensate drip tray at the back

Regulation

- Electronic regulation
- Display of the real temperature inside the cabinet
- Display of the highest and lowest temperature in the cabinet
- Visual alarms in case of dysfunction (open door, sensor fault, temperature alarm, charcoal filter, humidity level alarm)
- Automatic defrost

Technologies

Cold production: Static/ R600a compressor

Cords: CE/US/UK/JA/AU/CH/C6

Heat production: Resistance

Heat release: Automatic / Threshold: adjustable

Inner material: Aluminium

Exterior coating material: HPL panel (High pressure laminates)

Insulation type: Injected polyurethane foam (59mm)

*Traditional Bordeaux format

General features

	Full Glass/Glass	Black Piano
Empty wine cabinet net weight (kg)	58	54
Equipped cabinet net weight (kg)	72	68
Gross weight packaged (kg)*	85	81
Dimensions H x W x D (mm)	960 x 680 x 720**	960x 680 x 720**
Dimensions packaged (mm)	1090 x 720 x 760	1090x 720 x 760
Colour	Nero	Nero

** With separator at the back, without handle

Energy efficiency & Consumption

Cords	230V-50Hz (R600a)		115V-60Hz (R600a)	
	Black Piano	Full Glass/Glass	Black Piano	Full Glass/Glass
Type of door	Black Piano	Full Glass/Glass	Black Piano	Full Glass/Glass
Energy efficiency class	F	G	/	/
Annual energy consumption AEC (Kwh/year)	110	136	114	143
Sound emission (dB(A))	37	37	38	38
Sound emission Class	C	C	/	/
Ambient operating temperature (°C/°F)	12°C/54°F-30°C/86°F	12°C/54°F-30°C/86°F	12°C/54°F-30°C/86°F	12°C/54°F-30°C/86°F
Useful volume (litres)	209			

Pure, in a few words...

Store your wine in optimal conditions.

Specially designed to be multifunctional, Pure offers the ultimate protection for your wine. Maturing, cooling and bringing your wine to room temperature are all possible. Solid or glass doors, a wide choice of interior equipment, configure the cabinet that best that best suits your space.





Manufactured in France

Multi-temperature cabinet

Small size

Premium Pack



Multi-temperatures cabinet, for serving wine

Technical Specifications

Equipment Standard shelf



Sliding shelf
ACMS
12 bottles



Storage shelf
AXUH
77 bottles

Equipment Optional shelves



Sliding shelf
ACMS2B
12 bottles



Storage shelf
AXUH2B
77 bottles



Sliding shelf
ACMS2W
12 bottles



Storage shelf
AXUH2W
77 bottles



Sliding shelf for tasting
ACVH
20 bottles



Presentation kit
AOPRESAR
32 bottles



Presentation shelf
ACPH
22 bottles



Storage shelf
AXBH
76 bottles



Champagne shelf
ACHH
10 bottles

Capacity 74 bottles maximum*

Temperature

- Default temperature settings, 8°C/46°F (for the bottom of the cabinet) and 18°C/64°F (for the top of the cabinet)
- Adjustment range from 5°C/ 41°F to 22°C/72°F (5°C/41°F to 12°C/54°F for the bottom and 15°C/59°F to 22°C/72°F for the top)

Design

- 3 door options: Black glass, Full Glass, Black Piano
- Removable glass finish handle (Full Glass and Black Piano doors only)
- Central lock
- Carbon effect control panel
- Amber screen display
- LED screen with touch-sensitive keys
- Amber interior lighting: 2 Leds (3 lighting options: permanent, on door opening or off)
- Optional ambient light guide, on the control panel

Accessories

- 5 sliding shelves
- 1 EuroCave keyring

Equipment

- Charcoal filter (with counter)
- 2 adjustable feet at the front
- Condensate drip tray at the back

Regulation

- Electronic regulation
- Display of the real temperature inside the cabinet
- Display of the highest and lowest temperature in the cabinet
- Visual alarms in case of dysfunction (open door, sensor fault, temperature alarm, charcoal filter, humidity level alarm)
- Automatic defrost

Technologies

- Cold production:** Static/ R600a compressor
- Cords:** CE/US/UK/JA/AU/CH/C6
- Heat production:** Resistance
- Heat release:** Automatic / Threshold: adjustable
- Inner material:** Aluminium
- Exterior coating material:** HPL panel (High pressure laminates)
- Insulation type:** Injected polyurethane foam (59mm)

* Traditional Bordeaux Format

General features

	Full Glass/Glass	Black Piano
Empty wine cabinet net weight (kg)	58	54
Equipped cabinet net weight (kg)	72	68
Gross weight packaged (kg)*	85	81
Dimensions H x W x D (mm)	960 x 680 x 720**	960x 680 x 720**
Dimensions packaged (mm)	1090 x 720 x 760	1090x 720 x 760
Colour	Nero	Nero

** With separator at the back, without handle

Energy efficiency & Consumption

Cords	230V-50Hz (R600a)		115V-60Hz (R600a)	
	Black Piano	Full Glass/Glass	Black Piano	Full Glass/Glass
Type of door				
Energy efficiency class	F	G	/	/
Annual energy consumption AEC (Kwh/year)	110	136	114	143
Sound emission (dB(A))	37	37	38	38
Sound emission Class	C	C	/	/
Ambient operating temperature (°C/°F)	12°C/54°F-30°C/86°F	12°C/54°F-30°C/86°F	12°C/54°F-30°C/86°F	12°C/54°F-30°C/86°F
Useful volume (litres)				209

Pure, in a few words...

Store your wine in optimal conditions.

Specially designed to be multifunctional, Pure offers the ultimate protection for your wine. Maturing, cooling and bringing your wine to room temperature are all possible. Solid or glass doors, a wide choice of interior equipment, configure the cabinet that best that best suits your space.





Manufactured in France

Multi-temperatures cabinet

Small size

Presentation Pack



Multi-temperatures cabinet, for serving wine

Technical Specifications

Capacity 68 bottles maximum*

Temperature

- Default temperature settings, 8°C/46°F (for the bottom of the cabinet) and 18°C/64°F (for the top of the cabinet)
- Adjustment range from 5°C/ 41°F to 22°C/72°F (5°C/41°F to 12°C/54°F for the bottom and 15°C/59°F to 22°C/72°F for the top)

Design

- 3 door options: Black glass, Full Glass, Black Piano
- Removable glass finish handle (Full Glass and Black Piano doors only)
- Central lock
- Carbon effect control panel
- Amber screen display
- LED screen with touch-sensitive keys
- Amber interior lighting: 2 Leds (3 lighting options: permanent, on door opening or off)
- Optional ambient light guide, on the control panel

Accessories

- 3 sliding shelves and 1 presentation kit
- 1 EuroCave keyring

Equipment

- Charcoal filter (with counter)
- 2 adjustable feet at the front
- Condensate drip tray at the back

Regulation

- Electronic regulation
- Display of the real temperature inside the cabinet
- Display of the highest and lowest temperature in the cabinet
- Visual alarms in case of dysfunction (open door, sensor fault, temperature alarm, charcoal filter, humidity level alarm)
- Automatic defrost

Technologies

- Cold production:** Static/ R600a compressor
- Cords:** CE/US/UK/JA/AU/CH/C6
- Heat production:** Resistance
- Heat release:** Automatic / Threshold: adjustable
- Inner material:** Aluminium
- Exterior coating material:** HPL panel (High pressure laminates)
- Insulation type:** Injected polyurethane foam (59mm)

Equipment
Standard shelf



Sliding shelf
ACMS
12 bottles



Presentation kit
AOPRESAR
32 bottles

Equipment
Optional shelves



Sliding shelf
ACMS2B
12 bottles



Storage shelf
AXUH2B
77 bottles



Sliding shelf
ACMS2W
12 bottles



Storage shelf
AXUH2W
77 bottles



Sliding shelf for tasting
ACVH
20 bottles



Storage shelf
AXUH
77 bottles



Presentation shelf
ACPH
22 bottles



Storage shelf
AXBH
76 bottles



Champagne shelf
ACHH
10 bottles

*Traditional Bordeaux Format

General features

	Full Glass/Glass	Black Piano
Empty wine cabinet net weight (kg)	58	54
Equipped cabinet net weight (kg)	72	68
Gross weight packaged (kg)*	85	81
Dimensions H x W x D (mm)	960 x 680 x 720**	960x 680 x 720**
Dimensions packaged (mm)	1090 x 720 x 760	1090x 720 x 760
Colour	Nero	Nero

**With separator at the back, without handle

Energy efficiency & Consumption

Cords	230V-50Hz (R600a)		115V-60Hz (R600a)	
	Black Piano	Full Glass/Glass	Black Piano	Full Glass/Glass
Type of door				
Energy efficiency class	F	G	/	/
Annual energy consumption AEC (Kwh/year)	110	136	114	143
Sound emission (dB(A))	37	37	38	38
Sound emission Class	C	C	/	/
Ambient operating temperature (°C/°F)	12°C/54°F-30°C/86°F	12°C/54°F-30°C/86°F	12°C/54°F-30°C/86°F	12°C/54°F-30°C/86°F
Useful volume (litres)				209

Pure, in a few words...

Store your wine in optimal conditions.

Specially designed to be multifunctional, Pure offers the ultimate protection for your wine. Maturing, cooling and bringing your wine to room temperature are all possible. Solid or glass doors, a wide choice of interior equipment, configure the cabinet that best that best suits your space.

